

# Titan

MANUFACTURING, INC.

9447 BAMBOO ROAD, HOUSTON,  
TEXAS, 77041.


PHONE: 713-283-7700. FAX: 713-283-7600.

Email: [sales@titanpumpsinc.com](mailto:sales@titanpumpsinc.com)

Website: [www.titanpumpsinc.com](http://www.titanpumpsinc.com)




## TTPSU SERIES HIGHHEAD SELF PRIMING TRASH PUMP



## SECTIONAL VIEW

### PRODUCT FEATURES

TTPSU series high head pump are designed for economical, trouble-free operation with excellent trash handling capacity. The five-vane, open solids handling impeller handles up to 3” diameter solids. The impeller, seal, wear plate and flap valve can all be accessed through the cover plate opening for inspection or service. An atmospheric barrier along with a lip seal provide additional protection of bearings, this also allows external monitoring. The mechanical cartridge seal is specifically designed for abrasive and or trash handling service. The entire rotating assembly can be removed without disturbing pump volute or piping.




Pump Type	L	G	F	I	H	M	J	W	A	B	C	D	K	Q	S	E	Bare Pump Weight (Lbs)
TTPSU-3	27.2	17	7.5	15.5	17.24	2.75	0.71	28.89	11.64	3	9	11.25	1.5	4	0.375	1.68	555.57
TTPSU-4	29.85	20	8.75	18	20.08	2.75	0.71	31.44	12.54	3.81	11	11.71	1.5	5	0.375	1.68	672.41
TTPSU-6	34.79	22.37	10.13	20.75	22.84	2.75	0.71	37.21	15.98	3.03	11	13.29	1.75	4.63	0.375	1.93	1172.86

• Measurements are in Inches.

Contact: [sales@titanpumpsinc.com](mailto:sales@titanpumpsinc.com)  
 Phone: 713-283-7700. Fax: 713-283-7600  
 Visit Us: [www.titanpumpsinc.com](http://www.titanpumpsinc.com)

# PERFORMANCE CHARTS



Contact: [sales@titanpumpsinc.com](mailto:sales@titanpumpsinc.com)  
 Phone: 713-283-7700, Fax: 713-283-7600  
 Visit Us: [www.titanpumpsinc.com](http://www.titanpumpsinc.com)